New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 49.

(JULY–DECEMBER, 1934.)

Published by direction of
The Hon. C. E. MACMILLAN, Minister of Agriculture.

WELLINGTON.

BY AUTHORITY: G. H. LONEY, GOVERNMENT PRINTER.

1935.

Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_july-december-1934_49_index

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME 49.

(July–December, 1934.)

INDEX.

A.

Agricultural and pastoral statistics, 1933–34, 302.
Agricultural lime carried by rail, 1933–34, 160.
Answers to inquiries, 63, 191, 256, 317, 381.
Apiary, the (monthly notes), 55, 122, 183, 248, 312, 378.
Apples, bitter-pit in, control of, 382.
Appointment of Director, Fields Division, 188.
Aston, B. C.—
  The misuse of lime, with special reference to bush-sick lands, 31, 80.
  Live-stock poisoning in New Zealand, 150.

B.

Bacon, curing, 192.
Bad quarter, treatment of, 382.
Banks Peninsula pastures and top-dressing, 335.
Barley, for poultry-feeding, 156.
Barley, harvesting of, 288.
Barley, hot-water treatment of seed of, 37.
Barley, seed treatment for, 43.
Beans, production of wilt-free, 164.
Beans, soya, in Canterbury, 64.
Birch posts, durability of, 318.
Bitter-pit in apples, control of, 382.
Blue lupins and Italian rye-grass or turnips for winter sheep-feed, 289.
Blue lupins in Canterbury, 41.
Blue lupins, practices in the use of, for feed, seed, and green manure, 346.
Blue lupins, sore-shin, a virus disease of, 139.
Bisulphite as weed-killers, 45.
Breathing, difficult, in pony, 192.
Brien, R. M.—See Neill, J. C.; Brien, R. M.; and Chamberlain, E. E.
Brown, F. C.—Poultry-keeping (monthly notes), 52, 120, 181, 246, 310, 373.
Bush-sick lands, the misuse of lime, with special reference to, 31, 80.
Butter and cheese, grading of export, 169.

C.

Caseous lymphadenitis, 253.
Castration, earmarking, and docking of lambs, 221.
Certification charges, seed, 237.
Certification, seed, season 1933–34, 285.
Certification of seed potatoes, 46, 112, 173, 239.
Chamberlain, E. E.—
  A virus disease of strawberries in New Zealand, 226.
  Narrow-leaf, a virus disease of tomatoes, 257.
  See Neill, J. C.; Brien, R. M.; and Chamberlain, E. E.
Cheese, grading of export, averages for 1933–34, 169.
Cheese, investigations regarding the conditions determining the quality of, 193.
Chewings fescue, deterioration problems in New Zealand, 10.
Chewings fescue, the problems of germination and purity and their influence on greenkeeping in the United Kingdom, 6.
Citrus notes (monthly), 52, 119, 181, 245, 309, 373.

Claridge, J. H.—
Potato trial at Palmerston North, 1933–34, 25.
Seed-certification, season 1933–34, 285.
Clover, white, strain investigation in, 86.
Clubs—
Pig improvement, 364.
Young farmers', 216.
Cockayne, Leonard, 161.
Colds in pullets, 317.
Collins, W. T.—
Castration, earmarking, and docking of lambs, 221.
Sheep-dipping, 331.
Connell, R. P.—
The farm (monthly notes), 47, 114, 174, 240, 304, 367.
Some misconceptions about lucerne, 146.
Cottier, W.—The control of the grass-grub in small areas, 321.
Cox, G. A.—A simple method of detecting "non-acid" milk, 231.
Crops for pigs in northern districts, 191.
Cultivation, the importance of a pasture establishment, 351.
Cupressus lawsoniana and macrocarpa, sowing, 63.
Curing bacon, 192.

D.

Dairy cows, some guidance relative to reasonable care of, 104.
Dairy-herd testing in New Zealand, 278.
Dairy production in 1933–34, 188.
Davies, J. E.—Young farmers' clubs, 216.
Dayus, C. V.—Signs of health in domestic animals, 297.
Demonstration Farm, Waimate West, 1933–34 season, 207.
Dipping fluid, use of old, 318.
Discharge after dehorning, 318.
Disease, a virus, of strawberries in New Zealand, 226.
Diseases, some, of pigs, 65.
Docking of lambs, 221.
Dominion potato crops, 345.
Dry, F. W.—The fibre types of New Zealand Romney sheep, 269.
Durability of birch posts, 318.

E.

Earmarking of lambs, 221.
Earp, E. A.—The apiary (monthly notes), 55, 122, 183, 248, 312, 378.
Egg-bound condition of hens, 382.
Everett, P.—The orchard (monthly notes), 178, 244, 308, 371.
Estimates of the season's lambing, 366.
Experimental work on the control of *Pieris rapae* (white butterfly) by means of parasites, 300.
Experiments, pig-breeding, 303.

F.

Farmers' hay and silage competitions, Taranaki, 356.
Farmers', young, clubs, 216.
Farm seeds, 234.
Farm, the (monthly notes), 47, 114, 174, 240, 304, 367.
Fertilizers, importation of, in 1933–34, 319.
Fescue, chewings, 6.
Fescue, deterioration problems in New Zealand chewings, 10.
Fibre types, the, of New Zealand Romney sheep, 269.
Fields Division, appointment of Director, 188.
Fields Division—
Certification of seed potatoes, 46, 112, 173, 239.
Seed-certification charges, 237.
Practices in the use of blue lupin for feed, seed, and green manure, 346.
Wheat-variety trials in the South Island, season 1933–34, 129.
Flay, A. H.—Turnips or blue lupins and Italian rye-grass for winter sheep-feed, 289.
Foy, H. A.—Investigations regarding the conditions determining the quality of cheese, 193.
Foy, N. R.—
Deterioration problems in New Zealand chewings fescue, 10.
Farm seeds, 234.
The official seed-testing station, year 1933, 340.

G.

Gorman, L. W.—See Levy, E. B., and Gorman, L. W.
Grading of export butter and cheese, averages for year 1933–34, 169.
Grading of milk, 330.
Grass, pampas and toetoe, compared, 192.
Grass, pampas, in bracken fern, 64.
Grass, pampas, in Taranaki, 256.
Grass-grub, the control of, in small areas, 321.
Grazing, successful, of pastures in sheep-farming, 362.
Green manure, practices in the use of blue lupins for, 346.

H.

Hankin, T. H.—Some guidance relative to seasonable care of dairy cows, 104.
Harvesting of barley and wheat, 288.
Hay and silage competitions, Taranaki farmers', 356.
Health in domestic animals, signs of, 297.
Hedges for mild climate, 191.
Hens, egg-bound condition of, 382.
Herd-testing, Government official, of purebred dairy cows, 337.
Hewlett, C. H. and J. H.—Hot-water treatment of seed of barley and wheat, 37.
Hewlett, C. H.; Hewlett, J. H.; and West, H. E.—Harvesting of barley and wheat, 288.
Horehound on sheep grassland, 192.
Horticulture (monthly notes), 56, 123, 185, 250, 314, 378.
Hot-water treatment of seed of barley and wheat, 37.
Hunt, W. E., and Stuart, A.—Successful grazing of pastures in sheep-farming, 362.
Hyde, W. C.—Horticulture (monthly notes), 56, 123, 185, 250, 314, 378.

I.

Importation of fertilizers in 1933–34, 219.
Inquiries, answers to, 63, 191, 256, 317, 381.
Inventions of agricultural interest, 45, 111, 253, 365.
Italian rye-grass, turnips or blue lupins and, for winter sheep-feed, 289.

J.

Jaundice in ewe, 381.

K.

Kitto, H. A.—Barley for poultry-feeding, 156.

L.

Lambing, estimates of season's, 366.
Lambs, castration, earmarking, and docking of, 221.
Levy, E. B., and Gorman, L. W.—Strain investigation in white clover, 86.
Lewis, I. G.—Chewings fescue, 6.
Lime, agricultural, carried by rail, 1933–34, 160.
Lime, the misuse of, with special reference to bush-sick lands, 31, 80.
Lincoln Pure Seed Station, 264.
Live-stock in New Zealand, 1934, 113.
Live-stock poisoning in New Zealand, 150.
Lucerne, some misconceptions about, 146.
Lupins, blue, in Canterbury, 41.
Lupins, blue, sore-shin, a virus disease of, 139.

M.

McGillivray, R.—
Banks Peninsula pastures and top-dressing, 335.
Blue lupins in Canterbury, 41.
McGillivray, R., and Stevenson, J.—Pasture top-dressing on West Coast, South Island of New Zealand, 212.
Macrocarpa posts, 318.
Manure from dairy shed, utilization of, 381.
Mare prematurely secreting milk, 317.
Marshall, D.—Some diseases of pigs, 65.
Meat-export works in New Zealand, licensed, season 1934–35, 59.
Meteorological Office, weather records, 60, 127, 189, 254, 319, 383.
Milk, a simple method for detecting "non-acid," 231.
Milk-fed veal, 1.
Milk, mare prematurely secreting, 317.
Milking-machines, the cleaning of, 71.
Moss, treating on unploughable pastures, 256.

N.

Narrow-leaf—A virus disease of tomatoes, 257.
Neill, J. C.—
Seed treatment for wheat, barley, and oats, 43.
Neill, J. C.; Brien, R. M.; and Chamberlain, E. E.—
"Sore-shin," a virus disease of blue lupins, 139.
"Non-acid" milk, a simple method of detecting, 231.

O.

Oats, seed treatment for, 43.
Odontria Zealandica, the control of the grass-grub in small areas, 321.
Official Seed-testing Station, the, 340.
Orchard, the (monthly notes), 50, 118, 178, 244, 308, 371.

P.

Pampas grass and toetoe compared, 192.
Pampas grass in bracken fern, 64.
Pampas grass in Taranaki, 256.
Pampas grass, seed of, 382.
Pasture competition, the North Taranaki, 132.
Pasture establishment, the importance of cultivation, 357.
Pastures and top-dressing, Banks Peninsula, 335.
Pastures, successful grazing of, in sheep-farming, 362.
Pastures, treating moss in unploughable, 256.
Pasture top-dressing on West Coast, South Island of New Zealand, 212.
Paynter, L.—Citrus notes (monthly), 52, 119, 181, 245, 309, 373.
Pears, ripening of early summer, 381.
Pieris rapae, experimental work on the control of, by means of parasites, 300.
Pig-feeding experiments, 303.
Pig-improvement clubs, 364.
Pigs, crops for in northern districts, 191.
Pigs, some diseases of, 65.
Poisoning, live-stock, in New Zealand, 150.
Pony, difficult breathing in, 192.
Posts, durability of birch, 318.
Posts, macrocarpa, 318.
Potato crops, Dominion, 345.
Potatoes, certification of seed, 46, 112, 173.
Potatoes, seed, use of wooden crates for, 108.
Potato trial at Palmerston North, 1933–34, 25.
Poultry-feeding, barley for, 156.
Poultry-keeping (monthly notes), 52, 120, 181, 246, 310, 373.
Production, dairy, in 1933–34, 188.
Pullets, colds in, 317.
Purebred dairy cows, Government official herd-testing of, 337.
Pure Seed Station, Lincoln, 264.

R.

Ragwort, and St. John's wort, 63.
Reid, W. D.—Production of wilt-free beans, 164.
Review: Toadstools and mushrooms and other larger fungi of South Australia, 172.
Romney sheep, the fibre types of New Zealand, 269.

S.

St. John's wort and ragwort, 63.
Sand in stomach of sheep, 64.
Seasonal notes, 47, 114, 174, 240, 304, 367.
Seed-certification charges, 237.
Seed certification, season 1933–34, 285.
Seed, hot-water treatment of barley and wheat, 37.
Seed of pampas grass, 382.
Seed potatoes, certification of, 46, 112, 173, 239.
Seed potatoes, use of wooden crates for, 108.
Sheep-dipping, 331.
Seed-testing Station, the Official, year 1933, 340.
Seed treatments for wheat, barley, and oats, 43.
Seedlings, raising, for shelter, 191.
Sheep-dipping, 331.
Sheep-farming, successful grazing of pastures in, 362.
Sheep-feed, turnips or blue lupins and Italian rye-grass for winter, 289.
Shelter, raising seedlings for, 191.
Signs of health in domestic animals, 297.
Silage competitions, Taranaki farmers', 356.
Singleton, W. M.—
Dairy-herd testing in New Zealand, 278.
Government official herd-testing of purebred dairy cows, 337.
Smallfield, P. W.—The importance of cultivation in pasture establishment, 351.
Smith, J. M.—
Taranaki farmers' hay and silage competitions, 356.
The North Taranaki Pasture Competition, 132.
Waimate West Demonstration Farm, 207.
Smith, J. W.—The cleaning of milking-machines, 71.
Sore-shin, a virus disease of blue lupins, 139.
Soya beans in Canterbury, 64.
Statistics: Agricultural and pastoral, 1933–34, 302.
Stevenson, J.—See McGillivray, R., and Stevenson, J.
Stock, live, in New Zealand, 1934, 113.
Stomach of sheep, sand in, 64.
Strain investigation in white clover, 86.
Strawberries, a virus disease of, in New Zealand, 226.
Stuart, A.—See Hunt, W. E., and Stuart, A.
Successful grazing of pastures in sheep-farming, 362.

T.

Taranaki farmers' hay and silage competitions, 356.
Taranaki, pampas grass in, 256.
Testing, dairy-herd, in New Zealand, 278.

Thomson, R. — Lincoln Pure Seed Station, 264.
Toadstools and mushrooms and other larger fungi of South Australia, review, 172.
Toetoe and pampas grass compared, 192.
Tomatoes, narrow-leaf, a virus disease of, 257.
Top-dressing, Banks Peninsula, 335.
Top-dressing pasture on West Coast, South Island of New Zealand, 212.
Transplanting of vines, 381.
Treatment of bad quarter, 382.
Turnips or blue lupins and Italian rye-grass for winter sheep-feed, 289.

U.

Udder, treatment of bad quarter of, 382.
Use of old dipping fluid, 318.
Utilization of manure from dairy shed, 381.

V.

Veal, milk-fed, 1.
Vines, transplanting of, 381.
Virus disease of strawberries in New Zealand, a, 226.

W.

Waimate West Demonstration Farm, 1933–34 season, 207.
Wallace, J. O.—Use of wooden crates for seed potatoes, 108.
Weather records (monthly), 60, 127, 189, 254, 319, 383.
Webster, W. M.—Milk-fed veal.
Weed-killers, bisulphites as, 45.
West, H. E.—See Hewlett, C. H.; Hewlett, J. H.; and West, H. E.
Wheat, harvesting of, 288.
Wheat, hot-water treatment of seed of, 37.
Wheat, seed treatment for, 43.
Wheat, variety trials in the South Island, season 1933–34, 129.
Whelan, J. W.—The orchard (monthly notes), 50, 118.
White butterfly, experimental work in the control of, by parasites, 300.
White clover, strain investigations in, 86.
Wooden crates, use of, for seed potatoes, 108.
Wool-production, 301.

Y.

Young farmers' clubs, 216.